

Heaven and Earth Designs

Mini Wings In Repose

Chart No: HAENNTMINI 130

Chart Design by Michele Sayetta

Artwork by

Nene Thomas



Finished Design Size 183 W by 326 H (7-1/4 WX 13 H inches on 25ct fabric)
(This Chart Contains 65 Colors)

Heaven and Earth Designs LLC

33555 Wild Daffodil Ln.

Warrenton OR. 97146

320-214-7998

www.heavenandearthdesigns.com

Copyright Heaven and Earth Designs LLC 2012

Copyright Nene Thomas Inc. 2012 ®

Instructions

Congratulations on buying a **Heaven and Earth Designs LLC** Cross Stitch Chart. We Know it will bring you many hours of pleasurable stitching and believe the final result will be something to love and admire forever.

Included with your chart is a clear plastic bag to protect your chart, and a coded thread list for the threads you will need to complete your project. Our charts are designed to use DMC stranded cotton threads and, where appropriate, Kreinik metallic thread.

Chart Instructions:

1. This chart is made up of several numbered pages beginning at the top left corner of the first page. The pages of chart are laid out from left to right in rows e.g. 1 2 3 4, 5 6 7 8. Although each chart is marked with arrows which indicate the centre, we believe you will find it easier to begin from the top left corner of page 1 and follow the chart page by page to the bottom right corner of the last page.
2. We recommend you stitch your design on either 18 count Aida or 25 count Linen. using 2 strands over one in each case.
3. At the top of the thread list you will find our recommendation for the fabric colour. We recommend purchasing a piece of fabric that equates to the design size plus 3 inches [75mm] all around, to allow for framing and matting.
4. Because of the large number of stitches, we have found it to be easier if you stitch one 10X10 grid at a time and then continue on to the next 10 x 10 grid.
5. Stitch each page until it is completed and then move on to the next. On each page there is a number at the top left that indicates the page number. On each corner is a number in parenthesis that indicates the connecting page, unless there is not one.
6. Under International Copyright Laws, you may copy the chart for your own use. We recommend that you use a copy as your working document. You may also wish to enlarge the pages to make the symbols easier to read.

If you have any questions regarding this chart please feel free to contact us.


































Heaven and Earth Designs LLC
320-214-7998

<http://www.heavenandearthdesigns.com>

Pattern Name: Mini Wings In Repose-Thomas
Designed By: Michele Sayetta
Company: Heaven and Earth Designs LLC
Copyright: 2012 ©
Fabric: Linen 25, White
 183w X 326h Stitches
Size: 25 Count, 7-1/4w X 13h in

Floss Used for Full Stitches:





































Symbol	Strands	Type	Number	Color
	2	DMC	032	Kreinik #4
	2	DMC	168	Pewter-VYLT
	2	DMC	169	Pewter-LT
	2	DMC	225	Shell Pink-ULVYLT
	2	DMC	310	Black
	2	DMC	317	Pewter Gray
	2	DMC	318	Steel Gray-LT
	2	DMC	413	Pewter Gray-DK
	2	DMC	414	Steel Gray-DK
	2	DMC	415	Pearl Gray
	2	DMC	451	Shell Gray-DK
	2	DMC	452	Shell Gray-MD
	2	DMC	453	Shell Gray-LT
	2	DMC	524	Fern Green-VYLT
	2	DMC	535	Ash Gray-VYLT
	2	DMC	543	Beige Brown-ULVYLT
	2	DMC	610	Drab Brown-DK
	2	DMC	611	Drab Brown
	2	DMC	613	Drab Brown-VYLT
	2	DMC	640	Beige Gray-VYDK
	2	DMC	642	Beige Gray-DK
	2	DMC	644	Beige Gray-MD
	2	DMC	645	Beaver Gray-VYDK
	2	DMC	646	Beaver Gray-DK
	2	DMC	647	Beaver Gray-MD
	2	DMC	648	Beaver Gray-LT
	2	DMC	762	Pearl Gray-VYLT
	2	DMC	775	Baby Blue-VYLT
	2	DMC	779	Cocoa-DK
	2	DMC	819	Baby Pink-LT
	2	DMC	838	Beige Brown-VYDK
	2	DMC	839	Beige Brown-DK

Symbol	Strands	Type	Number	Color
	√	2	DMC 840	Beige Brown-MD
	⌚	2	DMC 842	Beige Brown-VYLT
	↓	2	DMC 844	Beaver Brown-ULDK
	⋈	2	DMC 898	Coffee Brown-VYDK
	⊗	2	DMC 934	Black Avocado Green
	⊗	2	DMC 935	Avocado Green-DK
	>	2	DMC 938	Coffee Brown-ULDK
	⌘	2	DMC 948	Peach-VYLT
	☆	2	DMC 3021	Brown Gray-VYDK
	■	2	DMC 3022	Brown Gray-MD
	⊞	2	DMC 3023	Brown Gray-LT
	⊙	2	DMC 3024	Brown Gray-VYLT
	H	2	DMC 3031	Mocha Brown-VYDK
	●	2	DMC 3033	Mocha Brown-VYLT
	♠	2	DMC 3051	Green Gray-DK
	⑧	2	DMC 3072	Beaver Gray-VYLT
	⌵	2	DMC 3371	Black Brown
	#	2	DMC 3743	Antique Violet-VYLT
	«	2	DMC 3747	Blue Violet-VYLT
	¢	2	DMC 3753	Antique Blue-ULVYLT
)	2	DMC 3756	Baby Blue-ULVYLT
	5	2	DMC 3770	Tawny-VYLT
	⊕	2	DMC 3781	Mocha Brown-DK
	♣	2	DMC 3782	Mocha Brown-LT
	T	2	DMC 3787	Brown Gray-DK
	⌞	2	DMC 3790	Beige Gray-ULDK
	e	2	DMC 3799	Pewter Gray-VYDK
	·∣·	2	DMC 3860	Cocoa
	×	2	DMC 3861	Cocoa-LT
	⤵	2	DMC 3862	Mocha Beige-DK
	@	2	DMC 3865	Winter White
	≡	2	DMC 3866	Mocha Brown-ULVYLT
	⊖	2	DMC B5200	Snow White

Usage Summary

Strands Per Skein: 6

Skein Length: 313.0 in

Type	Number	Full	Half	Quarter	Petite	Back(in)	Str(in)	Spec(in)	French	Bead	Skein Est.
 DMC 032	141	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 168	775	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 169	3994	0	0	0	0.0	0.0	0.0	0	0	2.000	
 DMC 225	2	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 310	6153	0	0	0	0.0	0.0	0.0	0	0	2.000	
 DMC 317	4407	0	0	0	0.0	0.0	0.0	0	0	2.000	
 DMC 318	4481	0	0	0	0.0	0.0	0.0	0	0	2.000	
 DMC 413	1856	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 414	4084	0	0	0	0.0	0.0	0.0	0	0	2.000	
 DMC 415	1760	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 451	751	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 452	614	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 453	135	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 524	7	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 535	2298	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 543	4	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 610	10	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 611	4	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 613	1	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 640	23	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 642	8	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 644	1	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 645	492	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 646	436	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 647	680	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 648	702	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 762	935	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 775	22	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 779	111	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 819	123	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 838	47	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 839	14	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 840	4	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 842	3	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 844	1677	0	0	0	0.0	0.0	0.0	0	0	1.000	
 DMC 898	1	0	0	0	0.0	0.0	0.0	0	0	1.000	

Type	Number	Full	Half	Quarter	Petite	Back(in)	Str(in)	Spec(in)	French	Bead	Skein Est.
■ DMC	934	5340	0	0	0	0.0	0.0	0.0	0	0	2.000
■ DMC	935	7	0	0	0	0.0	0.0	0.0	0	0	1.000
■ DMC	938	73	0	0	0	0.0	0.0	0.0	0	0	1.000
■ DMC	948	2	0	0	0	0.0	0.0	0.0	0	0	1.000
■ DMC	3021	931	0	0	0	0.0	0.0	0.0	0	0	1.000
■ DMC	3022	8	0	0	0	0.0	0.0	0.0	0	0	1.000
■ DMC	3023	9	0	0	0	0.0	0.0	0.0	0	0	1.000
■ DMC	3024	28	0	0	0	0.0	0.0	0.0	0	0	1.000
■ DMC	3031	879	0	0	0	0.0	0.0	0.0	0	0	1.000
■ DMC	3033	6	0	0	0	0.0	0.0	0.0	0	0	1.000
■ DMC	3051	6	0	0	0	0.0	0.0	0.0	0	0	1.000
■ DMC	3072	480	0	0	0	0.0	0.0	0.0	0	0	1.000
■ DMC	3371	5021	0	0	0	0.0	0.0	0.0	0	0	2.000
■ DMC	3743	1936	0	0	0	0.0	0.0	0.0	0	0	1.000
■ DMC	3747	857	0	0	0	0.0	0.0	0.0	0	0	1.000
■ DMC	3753	210	0	0	0	0.0	0.0	0.0	0	0	1.000
■ DMC	3756	338	0	0	0	0.0	0.0	0.0	0	0	1.000
■ DMC	3770	9	0	0	0	0.0	0.0	0.0	0	0	1.000
■ DMC	3781	21	0	0	0	0.0	0.0	0.0	0	0	1.000
■ DMC	3782	1	0	0	0	0.0	0.0	0.0	0	0	1.000
■ DMC	3787	389	0	0	0	0.0	0.0	0.0	0	0	1.000
■ DMC	3790	37	0	0	0	0.0	0.0	0.0	0	0	1.000
■ DMC	3799	5766	0	0	0	0.0	0.0	0.0	0	0	2.000
■ DMC	3860	162	0	0	0	0.0	0.0	0.0	0	0	1.000
■ DMC	3861	35	0	0	0	0.0	0.0	0.0	0	0	1.000
■ DMC	3862	2	0	0	0	0.0	0.0	0.0	0	0	1.000
□ DMC	3865	72	0	0	0	0.0	0.0	0.0	0	0	1.000
■ DMC	3866	15	0	0	0	0.0	0.0	0.0	0	0	1.000
□ DMC	B5200	262	0	0	0	0.0	0.0	0.0	0	0	1.000

	10	20	30	40	50	60	70	80
10	Q	Q	Q	Q	Q	Q	Q	Q
20	Q	Q	Q	Q	Q	Q	Q	Q
30	Q	Q	Q	Q	Q	Q	Q	Q
40	Q	Q	Q	Q	Q	Q	Q	Q
50	Q	Q	Q	Q	Q	Q	Q	Q
60	Q	Q	Q	Q	Q	Q	Q	Q
70	Q	Q	Q	Q	Q	Q	Q	Q
80	Q	Q	Q	Q	Q	Q	Q	Q
90	Q	Q	Q	Q	Q	Q	Q	Q
100	Q	Q	Q	Q	Q	Q	Q	Q
110	Q	Q	Q	Q	Q	Q	Q	Q
120	Q	Q	Q	Q	Q	Q	Q	Q
130	Q	Q	Q	Q	Q	Q	Q	Q
140	Q	Q	Q	Q	Q	Q	Q	Q
150	Q	Q	Q	Q	Q	Q	Q	Q
160	Q	Q	Q	Q	Q	Q	Q	Q
170	Q	Q	Q	Q	Q	Q	Q	Q
180	Q	Q	Q	Q	Q	Q	Q	Q
190	Q	Q	Q	Q	Q	Q	Q	Q
200	Q	Q	Q	Q	Q	Q	Q	Q
210	Q	Q	Q	Q	Q	Q	Q	Q
220	Q	Q	Q	Q	Q	Q	Q	Q
230	Q	Q	Q	Q	Q	Q	Q	Q
240	Q	Q	Q	Q	Q	Q	Q	Q
250	Q	Q	Q	Q	Q	Q	Q	Q
260	Q	Q	Q	Q	Q	Q	Q	Q
270	Q	Q	Q	Q	Q	Q	Q	Q
280	Q	Q	Q	Q	Q	Q	Q	Q
290	Q	Q	Q	Q	Q	Q	Q	Q
300	Q	Q	Q	Q	Q	Q	Q	Q
310	Q	Q	Q	Q	Q	Q	Q	Q
320	Q	Q	Q	Q	Q	Q	Q	Q
330	Q	Q	Q	Q	Q	Q	Q	Q
340	Q	Q	Q	Q	Q	Q	Q	Q
350	Q	Q	Q	Q	Q	Q	Q	Q
360	Q	Q	Q	Q	Q	Q	Q	Q
370	Q	Q	Q	Q	Q	Q	Q	Q
380	Q	Q	Q	Q	Q	Q	Q	Q
390	Q	Q	Q	Q	Q	Q	Q	Q
400	Q	Q	Q	Q	Q	Q	Q	Q
410	Q	Q	Q	Q	Q	Q	Q	Q
420	Q	Q	Q	Q	Q	Q	Q	Q
430	Q	Q	Q	Q	Q	Q	Q	Q
440	Q	Q	Q	Q	Q	Q	Q	Q
450	Q	Q	Q	Q	Q	Q	Q	Q
460	Q	Q	Q	Q	Q	Q	Q	Q
470	Q	Q	Q	Q	Q	Q	Q	Q
480	Q	Q	Q	Q	Q	Q	Q	Q
490	Q	Q	Q	Q	Q	Q	Q	Q
500	Q	Q	Q	Q	Q	Q	Q	Q
510	Q	Q	Q	Q	Q	Q	Q	Q
520	Q	Q	Q	Q	Q	Q	Q	Q
530	Q	Q	Q	Q	Q	Q	Q	Q
540	Q	Q	Q	Q	Q	Q	Q	Q
550	Q	Q	Q	Q	Q	Q	Q	Q
560	Q	Q	Q	Q	Q	Q	Q	Q
570	Q	Q	Q	Q	Q	Q	Q	Q
580	Q	Q	Q	Q	Q	Q	Q	Q
590	Q	Q	Q	Q	Q	Q	Q	Q
600	Q	Q	Q	Q	Q	Q	Q	Q
610	Q	Q	Q	Q	Q	Q	Q	Q
620	Q	Q	Q	Q	Q	Q	Q	Q
630	Q	Q	Q	Q	Q	Q	Q	Q
640	Q	Q	Q	Q	Q	Q	Q	Q
650	Q	Q	Q	Q	Q	Q	Q	Q
660	Q	Q	Q	Q	Q	Q	Q	Q
670	Q	Q	Q	Q	Q	Q	Q	Q
680	Q	Q	Q	Q	Q	Q	Q	Q
690	Q	Q	Q	Q	Q	Q	Q	Q
700	Q	Q	Q	Q	Q	Q	Q	Q
710	Q	Q	Q	Q	Q	Q	Q	Q
720	Q	Q	Q	Q	Q	Q	Q	Q
730	Q	Q	Q	Q	Q	Q	Q	Q
740	Q	Q	Q	Q	Q	Q	Q	Q
750	Q	Q	Q	Q	Q	Q	Q	Q
760	Q	Q	Q	Q	Q	Q	Q	Q
770	Q	Q	Q	Q	Q	Q	Q	Q
780	Q	Q	Q	Q	Q	Q	Q	Q
790	Q	Q	Q	Q	Q	Q	Q	Q
800	Q	Q	Q	Q	Q	Q	Q	Q
810	Q	Q	Q	Q	Q	Q	Q	Q
820	Q	Q	Q	Q	Q	Q	Q	Q
830	Q	Q	Q	Q	Q	Q	Q	Q
840	Q	Q	Q	Q	Q	Q	Q	Q
850	Q	Q	Q	Q	Q	Q	Q	Q
860	Q	Q	Q	Q	Q	Q	Q	Q
870	Q	Q	Q	Q	Q	Q	Q	Q
880	Q	Q	Q	Q	Q	Q	Q	Q
890	Q	Q	Q	Q	Q	Q	Q	Q
900	Q	Q	Q	Q	Q	Q	Q	Q
910	Q	Q	Q	Q	Q	Q	Q	Q
920	Q	Q	Q	Q	Q	Q	Q	Q
930	Q	Q	Q	Q	Q	Q	Q	Q
940	Q	Q	Q	Q	Q	Q	Q	Q
950	Q	Q	Q	Q	Q	Q	Q	Q
960	Q	Q	Q	Q	Q	Q	Q	Q
970	Q	Q	Q	Q	Q	Q	Q	Q
980	Q	Q	Q	Q	Q	Q	Q	Q
990	Q	Q	Q	Q	Q	Q	Q	Q
1000	Q	Q	Q	Q	Q	Q	Q	Q


	80	90	100	110	120	130	140	150
10								
20								
30								
40								
50								
60								
70								
80								
90								

[illegible]

	10	20	30	40	50	60	70	80
100
110
120
130
140
150
160
170
180
190

	80	90	100	110	120	130	140	150
100
110
120
130
140
150
160
170
180
190

	160	170	180
100			
110			
120			
130			
140			
150			
160			
170			
180			
190			



	80	90	100	110	120	130	140	150
190								
200								
210								
220								
230								
240								
250								
260								
270								
280								

	160	170	180
190			
200			
210			
220			
230			
240			
250			
260			
270			
280			

The image displays a 10x100 grid of small, square images. Each image contains a unique pattern of symbols, including letters, numbers, and geometric shapes. The grid is organized into 10 rows and 100 columns. The columns are grouped into 10 sets of 10, each labeled with a number from 10 to 90. The rows are labeled with numbers 290, 300, 310, and 320. The symbols are arranged in a way that suggests a complex, possibly encrypted, message.

	80										90										100										110										120										130										140										150																																																																															
290																																																																																																																																																						
300																																																																																																																																																						
310																																																																																																																																																						
320																																																																																																																																																						

